


Q-PIPE[®] บริษัท ควอลิตี้ ไพพ์ จำกัด
QUALITY PIPE CO.,LTD.



PVC Pipe Manufacturer



Company Profile


Quality Pipe Co., Ltd. is a well-known manufacturer and distributor of PVC pipes under the trademark "QPIPE". The company's quality production complies with Thai Industrial Standards, TIS 17-2561, 216-2524, 1131-2535.

With our long experience in PVC pipe manufacturing business, we aim to maintain customer satisfaction in both manufacturing and service stances. We are also determined to increase our production to cater to rising demand of customers.




TIS 17-2561
TIS 216-2524
TIS 1131-2535

**Comply with Thailand
Industrial Standards**




**PVC Pipe Manufacturer &
Distributor**



**Fast Service and timely
Transport**

Product



Rigid PVC Pipe (Blue Color)

QPIPE Rigid PVC Pipe carries nominal sizes from 18mm to 300mm (1/2 inches to 12 inches) which are suitable for a wide variety of applications, such as sanitation systems, water supply systems, ground water drilling systems, wastewater disposal and other pressure applications.

- Manufactured to TIS 17-2561
- Able to with use with Rigid PVC Fittings
- Can be belled on one end
- Lightweight and durable
- Does not degrade or leach when exposed to corrosive water or wastewater
- Does not corrode from bacteria or biofilm
- Unharmd by acids and alkaline

Price List for Rigid PVC Pipe (Blue Color)


Nominal Size mm. (In)	Unit Price (Baht)					Pieces/ Bundle	Bell Charge (Baht/Pcs)
	Class 5	Class 7	Class 8.5	Class 10.5	Class 13.5		
18 (1/2")	-	44.50	50.50	57.-	63.50	25	1.-
20 (3/4")	-	53.-	63.50	71.-	77.-	25	1.-
25 (1")	-	70.-	84.-	109.50	121.-	20	-
35 (1-1/4")	79.50	96.-	104.50	148.-	158.50	10	-
40 (1-1/2")	96.-	126.-	137.-	183.-	204.-	10	-
55 (2")	144.-	200.-	216.-	285.-	312.-	10	-
65 (2-1/2")	234.-	306.-	342.-	454.-	516.-	-	-
80 (3")	318.-	431.-	474.-	628.-	720.-	-	-
100(4")	510.-	681.-	768.-	1,008.-	1,160.-	-	-
125(5")	780.-	1,076.-	1,160.-	1,593.-	1,750.-	-	-
150(6")	1,090.-	1,484.-	1,630.-	2,206.-	2,460.-	-	-
200(8")	1,630.-	2,298.-	2,620.-	3,432.-	4,190.-	-	-
250(10")	2,340.-	3,465.-	3,790.-	5,202.-	6,300.-	-	-
300(12")	3,290.-	4,961.-	5,340.-	7,383.-	8,930.-	-	-

Note : - Standard pipe length= 4 meters - Manufactured under Thai Industrial Standards, TIS 17-2561 with blue color
 - The Price above does not include 7% VAT and may change without prior notice

Dimension

Plain End Pipe

Nominal Size mm. (In)	Ø O.D. mm.	Thickness (mm.)					Length (mm.)
		Class 5	Class 7	Class 8.5	Class 10.5	Class 13.5	
18 (1/2")	22±0.15	-	1.5±0.15	2.0±0.15	2.3±0.15	2.6±0.15	+30 4000 -10
20 (3/4")	26±0.15	-	1.5±0.15	2.0±0.15	2.3±0.15	2.6±0.15	
25 (1")	34±0.15	-	1.5±0.15	2.0±0.15	2.4±0.20	3.0±0.25	
35 (1-1/4")	42±0.15	1.5±0.15	1.8±0.15	2.2±0.20	2.6±0.20	3.1±0.25	
40 (1-1/2")	48±0.15	1.5±0.15	1.9±0.15	2.3±0.20	2.8±0.20	3.5±0.25	
55 (2")	60±0.15	1.8±0.20	2.4±0.20	2.9±0.25	3.5±0.25	4.3±0.30	
65 (2-1/2")	76±0.20	2.2±0.20	2.9±0.20	3.5±0.25	4.4±0.30	5.4±0.30	
80 (3")	89±0.20	2.6±0.20	3.5±0.25	4.1±0.30	5.2±0.35	6.4±0.40	
100 (4")	114±0.30	3.2±0.20	4.3±0.25	5.2±0.30	6.5±0.35	8.1±0.50	
125 (5")	140±0.30	3.9±0.25	5.3±0.30	6.4±0.40	8.0±0.45	9.9±0.55	
150 (6")	165±0.40	4.6±0.25	6.2±0.35	7.5±0.45	9.4±0.50	11.7±0.65	
200 (8")	216±0.50	5.4±0.35	7.3±0.40	8.8±0.50	11.1±0.60	13.7±0.70	
250 (10")	267±0.70	6.7±0.40	8.9±0.40	10.9±0.60	13.6±0.65	16.9±0.85	
300 (12")	318±0.80	7.9±0.45	10.7±0.55	12.9±0.65	16.2±0.75	20.1±1.00	



Belled End Pipe

Nominal Size mm. (In)	Dimension of Rigid PVC Belled End pipe				
	d mm.	dr mm.	L mm.	1/T	Z mm.
18 (1/2")	22.4±0.2	21.4±0.3	30	1/34	3.945
20 (3/4")	26.4±0.2	25.3±0.3	35	1/34	3.940
25 (1")	34.6±0.2	33.3±0.3	41	1/34	3.935
35 (1-1/4")	42.6±0.2	41.2±0.3	46	1/34	3.930
40 (1-1/2")	48.7±0.3	47.2±0.4	55	1/37	3.920
55 (2")	60.8±0.3	59.0±0.4	63	1/37	3.910
65 (2-1/2")	76.6±0.3	75.2±0.4	63	1/48	3.910
80 (3")	89.6±0.3	88.2±0.4	64	1/49	3.905
100 (4")	114.7±0.3	113.2±0.4	84	1/56	3.885
125 (5")	140.8±0.4	139.0±0.4	104	1/58	3.860
150 (6")	166.0±0.4	163.9±0.4	132	1/63	3.830
200 (8")	217.9±0.8	213.8±0.9	200	1/50	3.750
250 (10")	269.3±0.9	264.2±1.0	250	1/50	3.700
300 (12")	320.7±1.0	314.6±1.1	300	1/50	3.645

Product



Rigid PVC Slotted Pipe

Rigid PVC Slotted Pipe carries nominal sizes from 55mm. to 300mm. (2" inches to 12" inches) which are suitable for groundwater drilling system and wastewater disposal.

- Manufactured to TIS 17-2561
- Able to with use with Rigid PVC Fittings
- Can be belled on one end
- Lightweight and durable
- Does not degrade or leach when exposed to corrosive water or wastewater
- Does not corrode from bacteria or biofilm
- Unharmful by acids and alkaline

Price List for PVC Slotted Pipe



Nominal Size mm. (In)	Bell Charge (Baht/Pcs)
55 (2")	20.-
65 (2-1/2")	30.-
80 (3")	30.-
100 (4")	40.-
125 (5")	80.-
150 (6")	90.-
200 (8")	150.-
250 (10")	250.-
300 (12")	300.-



Product



Rigid PVC Conduit Pipe (Yellow Color)

For commonly used sizes, we manufacture nominal sizes from 15mm to 100mm (3/8 inches to 4 inches with 3 different wall thickness. Our Rigid PVC Conduit Pipe is proven durable and effective for years from maintenance-free performance. It is available for all of your electrical wiring needs such as cable, data and communication lines.

Price List for PVC Conduit Pipe (Yellow Color)

Nominal Size mm. (In)	Unit Price (Baht)			Pieces/Bundle
	Class 1	Class 2	Class 3	
15 (3/8")	45.70	-	-	50
18 (1/2")	54.70	-	-	25
20 (3/4")	66.-	-	-	25
25 (1")	125.-	-	-	10
35 (1-1/4")	180.-	-	-	10
40 (1-1/2")	235.-	-	-	10
55 (2")	331.-	-	-	10
65 (2-1/2")	426.-	-	-	-
80 (3")	677.-	756.-	469.-	-
100 (4")	1,030.-	1,230.-	725.-	-


Note : - Standard pipe length for 3/8"- 2 1/2" = 4 meters. - Standard pipe length for 3"- 4" = 6 meters.

Dimension

- Manufactured to TIS. 216-2524
- Corrosion Resistant
- Resistant to most chemicals
- Fire resistant
- Tough, durable, high tensile strength
- East to handle and install right on the job site
- Good insulation and no power loss or conductor heating

Nominal Size mm. (In)	Ø O.D. mm.	Thickness (mm.)			Length (mm.)
		Class 1	Class 2	Class 3	
15 (3/8")	18±0.20	2.0±0.20	-	-	4000
18 (1/2")	22±0.20	2.0±0.20	-	-	
20 (3/4")	26±0.25	2.0±0.20	-	-	
25 (1")	34±0.30	3.0±0.30	-	-	
35 (1-1/4")	42±0.35	3.5±0.40	-	-	
40 (1-1/2")	48±0.40	4.0±0.40	-	-	
55 (2")	60±0.50	4.5±0.40	-	-	
65 (2-1/2")	76±0.50	4.5±0.40	-	-	
80 (3")	89±0.50	5.9±0.40	-	-	
100 (4")	114±0.50	7.0±0.40	-	-	

- Manufactured under Thai Industrial Standards, TIS. 216-2524 with yellow color




Product




Rigid PVC Fittings

We carry common Rigid PVC Fittings including TS SOCKET, TS ELBOW 90°, TS TEE 90°, TS REDUCING SOCKET and TS CAP which conform to TIS 1131-2535. Our fittings have proven superior long-term performance in sanitary systems, water supply systems, groundwater drilling systems, wastewater disposal and other pressure applications

- Flow resistance and friction coefficient are low
- Reduced Blockages and Failures in Wastewater Pipelines
- Tough, durable, high tensile strength
- Corrosion Proof
- Chemical Resistance
- Quicker installation time
- Easy and inexpensive installation
- Leak free joints
- Nonflammable




TS SOCKET



Dimension	Unit: mm	
Nominal Size	L	Z
18 (1/2")	67	7
20 (3/4")	77	7
25 (1")	89	7
40 (1-1/2")	117	7
55 (2")	133	7
80 (3")	155	27
100(4")	200	32

Price		
TS SOCKET		
Nominal Size	Unit Price (Baht)	Pieces/Carton
18 (1/2")	3.48	220
20 (3/4")	4.45	140
25 (1")	7.30	80
40 (1-1/2")	14.-	40
55 (2")	22.-	50
80 (3")	60.-	20
100(4")	108.-	8


TS ELBOW 90°



Dimension	Unit: mm	
Nominal Size	H	Z
18 (1/2")	43	13
20 (3/4")	50	15
25 (1")	60	19
40 (1-1/2")	82	27
55 (2")	96	33
80 (3")	120	56
100(4")	153	69

Price		
TS ELBOW 90°		
Nominal Size	Unit Price (Baht)	Pieces/Carton
18 (1/2")	4.20	180
20 (3/4")	5.65	125
25 (1")	10.20	60
40 (1-1/2")	22.-	50
55 (2")	33.20	30
80 (3")	98.98	5
100(4")	192.-	5


TS TEE 90°



Dimension	Unit: mm	
Nominal Size	H	Z
18 (1/2")	43	13
20 (3/4")	50	15
25 (1")	60	19
40 (1-1/2")	82	27
55 (2")	96	33
80 (3")	120	56
100(4")	152	68

Price		
TS TEE 90°		
Nominal Size	Unit Price (Baht)	Pieces/Carton
18 (1/2")	5.75	100
20 (3/4")	7.90	70
25 (1")	15.-	35
40 (1-1/2")	30.80	15
55 (2")	48.10	20
80 (3")	189.-	10
100(4")	408.-	4


TS CAP



Dimension	Unit: mm	
Nominal Size	L	t (min)
18 (1/2")	33.0	2.88
20 (3/4")	38.0	2.90
25 (1")	44.0	3.40
40 (1-1/2")	59.5	4.06
55 (2")	68.0	5.00

Price		
TS CAP		
Nominal Size	Unit Price (Baht)	Pieces/Carton
18 (1/2")	3.60	200
20 (3/4")	5.28	150
25 (1")	7.90	80
40 (1-1/2")	17.50	30
55 (2")	26.20	20

REDUCING SOCKET



Dimension	Unit: mm	
Nominal Size	L	Z
25x18 (1x1/2")	84	13

Price		
REDUCING SOCKET		
Nominal Size	Unit Price (Baht)	Pieces/Carton
25x18 (1x1/2")	7.30	110

Contact Information



Address

1384, 1388 Soi Petchkasem 81, Majaroen Rd.,
Nongkhaem, Nongkhaem, Bangkok 10160



Phone +66-2-811-2670 ex 1



Fax +66-2-811-2566



International



Contact Person: Suttada




Tel +66-93-554-1596



Email info.qualitypipe@gmail.com



Map



QUALITY PIPE CO.,LTD.

1384, 1388 Soi Petchkasem 81, Majaroen Rd.
Nongkhaem, Nongkhaem, Bangkok 10160
Phone: +66-2-811-2670 ex1
Fax: +66-2-811-2566